



MakeDoc

MakeDoc for webMethods - Installation Guide

support@makedoc.com

CUSTOMER'S ■

LOGO

MakeDoc for webMethods - Installation Guide

Contents

1. Preface	2
2. Minimal Requirements	3
3. Additional Requirements	4
4. Installation	5
5. Running Application	14
6. Uninstallation	15

MakeDoc for webMethods - Installation Guide

1. Preface

MakeDoc for webMethods generates HTML, PDF, CHM and DOCX documentation for webMethods projects. The application is written in Java and can be ported to other operating systems.

TODO: prepsat pro webMethods Documentation can be generated from a TIBCO BW/BE project folder, TIBCO Designer EAR archives and from deployed webMethods projects stored in server repository. MakeDoc for webMethods can generate documentation from related design-time libraries (.projlib files) when configured properly.

The generation process is controlled by input XML file. The GUI is used to generate the input XML file.

The documentation has three main sections: **Project documentation**, **Cross-reference documentation** and **Repository Analyst** output. The **Project documentation** section contains an overview of all projects in solution. The **Cross-reference documentation** section is focused on communication among all documented projects through various destinations - **Destinations** part. It also summarizes usage of global variables by all documented projects in **Global Variables** part. The **Database Objects** part shows queries executed by projects on database tables, views or procedures. **Repository Analyst** is module extending MakeDoc documentation basic functionality, which analyses the changes at different documentation snapshots. It provides valuable information about modifications, changes and development progress at documented projects. Repository Analyst output is available in HTML and PDF format.

This document specifies the system requirements and the MakeDoc for webMethods installation process.

Potential problems and their solutions are described in the *User's Guide* document, which can be found at www.makedoc.com.

MakeDoc for webMethods - Installation Guide

2. Minimal Requirements

- **Java(TM) 2 Runtime Environment 1.6 or higher (J2SE)**

Although webMethods products currently require version 1.5, MakeDoc uses functionality provided by version 1.-6.

The latest version is available at <http://java.sun.com>

- **webMethods 7 or higher**

Only projects created in version 7 or higher are supported.

- **1GB RAM**

MakeDoc for webMethods - Installation Guide

3. Additional Requirements

- **webMethods Designer** must be installed on your machine to document your projects.
- **webMethods Developer** must be on your machine to document your projects.
- **Microsoft HTML Help Workshop** must be on your machine to generate Microsoft Compiled HTML Help documents (.CHM file). Microsoft Compiled HTML Help can be downloaded from <http://www.microsoft.com/downloads>. HTMLHELP.EXE is the only file that must be downloaded.

MakeDoc for webMethods - Installation Guide

4. Installation




Figure1. Installation wizard

Unzip the distribution into a temporary folder.

Run setup.exe file.

Click the **Next** button to run the installation.

MakeDoc for webMethods - Installation Guide




Figure2. Release notes in MakeDoc for webMethods installation wizard

Read the RELEASE NOTES in this step of the installation and then click the **Next** button.

MakeDoc for webMethods - Installation Guide




Figure3. License agreement in MakeDoc for webMethods installation wizard

Read the MAKEDOC for webMethods - LICENSE AGREEMENT carefully. If you accept its terms, select **I accept the terms of this license agreement** and click the **Next** button.

MakeDoc for webMethods - Installation Guide




Figure4. Selecting the installation path in MakeDoc for webMethods installation wizard




Figure5. Open file dialog

Select the installation path. Either :

MakeDoc for webMethods - Installation Guide

- Accept the default or
 - Click the **Browse...** button. Browse for the desired installation path and the click **Open** button.
- Click the **Next** button.



Figure6. Locating installed webMethods products in MakeDoc for webMethods installation wizard

Set the local webMethods product installation directories:

- webMethods Designer
Required for installation.
- webMethods Developer
Required for installation.

Click **Browse...** and select path where the product is installed if the default is not supplied or is not correct.

MakeDoc for webMethods - Installation Guide




Figure7. Selecting packs to install in MakeDoc for webMethods installation wizard

Select the packs to install and start the installation by clicking the **Next** button.

MakeDoc for webMethods - Installation Guide




Figure8. Installation finished

Wait for the installation to finish. Click the **Next** button.

MakeDoc for webMethods - Installation Guide



Figure9. Setup shortcuts in MakeDoc for webMethods installation wizard

Set the shortcuts to be created, for which users and in which program group. Click the **Next** button.

MakeDoc for webMethods - Installation Guide




Figure10. Installation completed

The installation is complete. Click the **Done** button.

MakeDoc for webMethods - Installation Guide

5. Running Application

Save generated trial license key file into "MakeDoc for webMethods" home directory after the installation. Standard home directory is:

C:\MakeDoc\webMethods\1.0.0.

On Windows execute "MakeDoc.exe" , or use shortcut in "MakeDoc for webMethods" program group (if created by the installation process).

e. g.: *Start --> All Programs --> MakeDoc for webMethods --> 1.0.0 --> MakeDoc for webMethods 1.0.0*

MakeDoc for webMethods - Installation Guide

6. Uninstallation

MakeDoc for webMethods can be uninstalled in two ways:

1. Using uninstallation shortcut in "MakeDoc for webMethods" program group (if created by the installation process).
e. g.: *Start --> All Programs --> MakeDoc for webMethods --> 1.0.0 --> Uninstall MakeDoc for webMethods 1.0.0*
2. Simply by deleting the "MakeDoc for webMethods" directory created by the installation.

No additional files are created by the "MakeDoc for webMethods" installation.