



MakeDoc

**Analysis of snapshots
created 2010/04/12 14:39
and 2010/04/12 15:06**

PIKE ELECTRONIC, spol. s r.o.

CUSTOMER'S ■

LOGO

Contents

1. Introduction	2
2. Added items	3
2.1. ESB	4
2.1.1. GrantingCredit	5
2.1.1.1. Processes	5
2.1.1.1.1. ProcessDefinitions/Newly_added_process	5
2.1.1.1.1.1. ProcessDefinitions/Newly_added_process	5
3. Removed items	6
3.1. BPM	7
3.1.1. trialBPM	8
3.1.1.1. Procedures	8
3.1.1.1.1. Proc_PANTHER1	8
3.1.1.1.1.1. PANTHER1 v0.12 (Check the date)	8
3.1.1.2. Sub-Procedures	14
3.1.1.2.1. Proc_SENMAIL	14
3.1.1.2.1.1. SENMAIL v0.2 (Panther.SendMail)	14
4. Changed items	17
4.1. BPM	18
4.1.1. trialBPM	19
4.1.1.1. Procedures	19
4.1.1.1.1. Proc_PANTHER2	19
4.1.1.1.1.1. Changes:	19
4.1.1.2. Sub-Procedures	21
4.1.1.2.1. Proc_GETDATE	21
4.1.1.2.1.1. Changes:	21
4.2. ESB	24
4.2.1. AccountState	25
4.2.1.1. Archives	25
4.2.1.1.1. EAR/AccountState	25
4.2.1.1.1.1. Changes:	25
4.2.1.2. Processes	25
4.2.1.2.1. ProcessDefinitions/AccountState	26
4.2.1.2.1.1. Changes:	26
4.2.2. GrantingCredit	30
4.2.2.1. Processes	30
4.2.2.1.1. ProcessDefinitions/GrantingCredit	30
4.2.2.1.1.1. Changes:	30
4.2.2.1.2. ProcessDefinitions/Examination/ExaminationService	34
4.2.2.1.2.1. Changes:	34
4.2.2.1.3. ProcessDefinitions/Output/HTMLOutput	39
4.2.2.1.3.1. Changes:	39
4.2.2.2. Shared HTTP Connections	41
4.2.2.2.1. SharedConnections/InputHTTPConnection	41
4.2.2.2.1.1. Changes:	42
4.2.2.2.2. SharedConnections/SOAPHTTPConnection	42
4.2.2.2.2.1. Changes:	42

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

1. Introduction

This document describes which changes have been made between two snapshots,

OLD snapshot: *2010/04/12 14:39*

NEW snapshot: *2010/04/12 15:06*

The items could have been either added, removed or changed. Next list summarizes numbers of added, removed or changed items.

BPM Statistic:

Number of added items: 0

Number of removed items: 2

Number of changed items: 2

ESB Statistic:

Number of added items: 1

Number of removed items: 0

Number of changed items: 7

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

2. Added items

Chapter contains added items to NEW snapshot: 2010/04/12 15:06 in reference to OLD snapshot: 2010/04/12 14:39

Number of added items: 1

2.1. ESB

Chapter contains description of added items from project ESB

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

2.1.1. GrantingCredit

Chapter contains description of added GrantingCredit from project ESB.

2.1.1.1. Processes

Chapter contains description of added items from project Processes

2.1.1.1.1. Newly_added_process

Section contains documentation of ESB Process Newly_added_process.

2.1.1.1.1.1. Newly_added_process

Section contains description of

Process description:

No description

Process definition:

Full process path: ProcessDefinitions/Newly_added_process.process

Diagram:



Process starter activity:

Name: Start

Description:

Process end activity:

Name: End

Transitions:

- From: **Start** -To: **End**
 - Label:
 - Condition: *Success*
 - Description:

3. Removed items

Chapter contains removed items from OLD snapshot: *2010/04/12 14:39* in reference to NEW snapshot: *2010/04/12 15:06*

Number of removed items: 2

3.1. BPM

Chapter contains description of removed items from project BPM

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Name	Type	Length	Decimals
SW_QPARAM4	Text	12	-
T_DATE	Text	20	-
T_ERRORMSG	Memo	-	-
T_EXPDATE	Text	20	-
T_FIRSTMAIL	Text	20	-
T_WAIT	Text	20	-

Flow-Related steps (13)

This sub-procedure consists of following steps:

RT00

Actions

- On Completion:

```
Process Step:GETDATE (Panther.GetDate).
```

RT01

Actions

- On Completion:

```
If T_DATE = T_EXPDATE (dates are same). Process Step:
(dates are same). ProRT03 (Sent mail part).
.Otherwise. Process Step:
.Otherwise. FORM2 (waiting for a day).
End If.
```

RT02

Actions

- On Completion:

```
End Of Workflow Branch.
```

RT03 (Sent mail part)

Actions

- On Completion:

```
Process Step:ST013.
```

ST012

General Properties

- EAI Plug-In Type: EAISCRIP
- Run-Time EAI Type: EAISCRIP
- Delayed Release: Never Delayed Release

EAI Type-Specific Data

- Call-Out Data:

```
N_EMAILS:=(N_EMAILS+ 1);.
```

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Actions

- On Completion:

```
If N_EMAILS>1 (how many emails shall i sent?). Process Step:  
>1 (how many emails shall i senWSUB003 (ask judge).  
.Otherwise. Process Step:  
.Otherwise. ES002 (Wait a day).  
End If.
```

ST013

General Properties

- EAI Plug-In Type: EAISCRIP
- Run-Time EAI Type: EAISCRIP
- Delayed Release: Never Delayed Release

EAI Type-Specific Data

- Call-Out Data:

```
N_EMAILS:= 0; .
```

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

```
Process Step:SENDMAIL (Panther.SendMail).
```

ES001 (Wait a day)

Actions

- On Completion:

```
End Of Workflow Branch.
```

- On Deadline Expire:

```
Process Step:RT01.
```

ES002 (Wait a day)

Actions

- On Completion:

```
End Of Workflow Branch.
```

- On Deadline Expire:

```
Process Step:SENDMAIL (Panther.SendMail).
```

FORM1 (Fill in the check date..)

Work Item Addressees

- Users / Groups: PE

Work Item Form

- Form Type: Staffware
- Form:

```
Current date: T_DATE.Expiration date: T_EXPDATE.(sustain the same date format as  
is used at "Current date") ..  
Current date: T_DATE.Expiration date: T_EXPDATE.(sustain the same  
date format as is used at "Current da
```

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

DATE.Expiration date: T_EXPDATE.(sustain

- Field Markings:

Field	Type	Help	Validations / Calculations	Command
T_DATE	Display			
T_EXPDATE	Required			

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No
- Forwardable: No

Actions

- On Completion:

Process Step:RT01.

FORM2 (waiting for a day)

Work Item Addressees

- Users / Groups: PE

Work Item Form

- Form Type: Staffware
- Form:

```
The expiration date is not same as the
The expiration date is not same as the current date. ..Current
date: T_DATE.Expiration date: T_EXPDATE..Do you want to leave it as it is? YESNO..
..IF T_WAIT ="NO" .Set new expiration date: T_EXP
The expiration date is not same as the current date. ..Current
date: T_DATE.Expiration date: T_EXPDATE..Do you want to leave it as it is? YESNO..
..IF T_WAIT ="NO" .Set new expiration date: T_EXP
The expiration date is not same as the current date.
..Current date: T_DATE.Expiration date: T_EXPDATE..Do you want to leave it as
it is? YESNO...IF T_WAIT ="NO" .Set new expiration da
Cu
rrent date: T_DATE.Expiration da
t
e: T_EXPDAT
The expiration date is not same as the current
date. ..Current date: T_DATE.Expiration date:
T_EXPDATE..Do you want to leave it as it is? YESNO...IF T_WAIT
leave
it
```

- Field Markings:

Field	Type	Help	Validations / Calculations	Command
T_WAIT	YES		'	:= "YES"
T_WAIT	NO		'	:= "NO"
T_DATE	Display			
T_EXPDATE	Display			

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Field	Type	Help	Validations / Calculations	Command
T_EXPDATE	Required			

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No
- Forwardable: No

Actions

- On Completion:

```
If T_WAIT="YES" (wait). Process Step:
="YES" (waES001 (Wait a day).
.Otherwise. Process Step:
.Otherwise. RT01.
End If.
```

GETDATE (Panther.GetDate)

General Properties

- Sub-Procedure: GETDATE

I/O Parameters

- Input Parameter

Input Parameter	Id	Mapped To
SW_CASEDESC	\$IP1	SW_CASEDESC

- Output Parameter

Output Parameter	Id	Mapped To
T_DATE	\$OP1	T_DATE
T_ERRORMSG	\$OP2	T_ERRORMSG

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

```
Process Step:FORM1 (Fill in the check date..).
```

SENDMAIL (Panther.SendMail)

General Properties

- Sub-Procedure: SENDMAIL (Panther.SendMail)

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

```
Process Step:ST012.
```

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

WSUB003 (ask judge)

General Properties

- Sub-Procedure: WSUB003 (Panther.TriggerProcess)

I/O Parameters

- Input Parameter

Input Parameter	Id	Mapped To
Not Available	\$IP1	"COURT"
Not Available	\$IP2	SW_CASEDESC

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

Process Step:RT02.

3.1.1.2. Sub-Procedures


Chapter contains description of removed items from project Sub-Procedures

3.1.1.2.1. Proc_SENDMAIL

Section contains documentation of BPM Sub-Procedure Proc_SENDMAIL.

3.1.1.2.1.1. SENDMAIL v0.2 (Panther.SendMail)

Section contains description of Sub-Procedure 'SENDMAIL v0.2 (Panther.SendMail)'.



Properties

General properties

Name	Value
Predict In Background:	No
Status:	Released
Start Step:	RT00
Ignore Blank Addressees:	No
On Case Start - Description:	Required
Release Id:	'

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Name	Value
Created:	27/05/2009 10:08
Normalize Case Data:	Yes
Auto-Purge Cases:	No
Use Working Days:	Yes
Author:	swadmin
Modified:	28/05/2009 13:35

Access permissions

Role	Action
Everyone	Edit

Fields

Name	Type	Length	Decimals
SW_CASEDESC	Text	24	-
SW_CP_INCPERIOD	Numeric	4	0
SW_CP_INCREMENT	Numeric	4	0
SW_CP_NUMINC	Numeric	3	0
SW_CP_PERIODTYP	Text	1	-
SW_CP_VALUE	Numeric	3	0
SW_GEN_IDX	Numeric	6	0
SW_MAINCASE	Numeric	10	0
SW_MAINHOST	Text	24	-
SW_MAINPROC	Text	8	-
SW_PARENTCASE	Numeric	10	0
SW_PARENTHOST	Text	24	-
SW_PARENTPROC	Text	8	-
SW_PARENTREF	Text	64	-
SW_QPARAM1	Text	24	-
SW_QPARAM2	Text	24	-
SW_QPARAM3	Text	12	-
SW_QPARAM4	Text	12	-
T_DATE	Text	20	-
T_EMAIL	Memo	-	-
T_ERRORCODE	Text	20	-
T_ERRORMSG	Memo	-	-

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Flow-Related steps (2)

This sub-procedure consists of following steps:

RT00

Actions

- On Completion:

`Process Step:ndEmail).`

BW0001 (Panther.SendEmail)

General Properties

- EAI Plug-In Type: EAI_BW
- Run-Time EAI Type: EAIJAVA
- Delayed Release: Never Delayed Release

EAI Type-Specific Data

Call-Out Data:

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

`End Of Workflow Branch.`

4. Changed items

Chapter contains changed items in NEW snapshot: *2010/04/12 15:06* in reference to OLD snapshot: *2010/04/12 14:39*

Number of changed items: 9

4.1. BPM

Chapter contains description of changed items from project BPM

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

4.1.1. trialBPM

Chapter contains description of changed trialBPM from project BPM.

4.1.1.1. Procedures

Chapter contains description of changed items from project Procedures

4.1.1.1.1. Proc_PANTHER2

Section contains documentation of BPM Procedure Proc_PANTHER2 (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.1.1.1.1.1. Changes:

PANTHER2 v0.4 (Court process) PANTHER2 v0.5 (Court process)

Section contains description of Procedure 'PANTHER2 v0.4 (Court process)'.

Section contains description of Procedure 'PANTHER2 v0.5 (Court process)'.

Properties

General properties

Name	Value
Predict In Background:	No
Status:	Released Unreleased
Start Step:	RT00
Ignore Blank Addressees:	No
On Case Start - Description:	Required
Release Id:	'
Created:	26/05/2009 17:09
Normalize Case Data:	Yes
Auto-Purge Cases:	No
Use Working Days:	Yes
Author:	swadmin
Modified:	28/05/2009 18:34 30/10/2009 14:38

Static Sub-Procedure Call Tree

This Procedure Calls *WSUB003 (Panther.TriggerProcess)* - From: *WSUB003 (PantherBW.TriggerProcess)*.
 . Which Contains No Static Sub-Procedure Calls.

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Access permissions

Role	Action
Everyone	Edit

Fields

Name	Type	Length	Decimals
SW_CASEDESC	Text	24	-
SW_CP_INCPERIOD	Numeric	4	0
SW_CP_INCREMENT	Numeric	4	0
SW_CP_NUMINC	Numeric	3	0
SW_CP_PERIODTYP	Text	1	-
SW_CP_VALUE	Numeric	3	0
SW_GEN_IDX	Numeric	6	0
SW_QPARAM1	Text	24	-
SW_QPARAM2	Text	24	-
SW_QPARAM3	Text	12	-
SW_QPARAM4	Text	12	-
T_DECISION	Text	20	-

Flow-Related steps (3) Flow-Related steps (2)

This sub-procedure consists of following steps:

RT00

Actions

- On Completion:

Process Step:WSUB003 (PantherBW.TriggerProcess).

FORM1 (Decision what to do...) WSUB003 (PantherBW.TriggerProcess)

General Properties

- **Users / Groups:** PE
- **Sub-Procedure:** WSUB003 (Panther.TriggerProcess)
- **Form:**

```
Dear Judge
e, .please decide what
Dear Judge, .please decide what to next: .- end court process:
End Process.- contact person again: Send Email.- restart the process: Restart
Dear Judge, .please decide what to next: .- end court
process: End Process.- contact person again: Send Email.- restart the proces
Dear Judge, .please decide what to next: .- end
court process: End Process.- contact person again: Send Email.- re
ag
ain:
```

I/O Parameters

- **Form Type:** Staffware

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Parameter

Parameter	Id	Mapped To
Not Available	\$IP1	T_DECISION
Not Available	\$IP2	SW_CASEDESC

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

Process Step:End Of Workflow Branch.

- Forwardable: No

WSUB003 (PantherBW.TriggerProcess)

General Properties

- Sub-Procedure: WSUB003 (Panther.TriggerProcess)

I/O Parameters

- Input Parameter

Input Parameter	Id	Mapped To
Not Available	\$IP1	T_DECISION
Not Available	\$IP2	SW_CASEDESC

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

End Of Workflow Branch.

4.1.1.2. Sub-Procedures

Chapter contains description of changed items from project Sub-Procedures

4.1.1.2.1. Proc_GETDATE

Section contains documentation of BPM Sub-Procedure Proc_GETDATE (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.1.1.2.1.1. Changes:

GETDATE v0.4

Section contains description of Sub-Procedure 'GETDATE v0.4'.

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Properties

General properties

Name	Value
Predict In Background:	No
Status:	Released
Start Step:	RT00
Ignore Blank Addressees:	No
On Case Start - Description:	Required
Release Id:	'
Created:	26/05/2009 17:17
Normalize Case Data:	Yes
Auto-Purge Cases:	No
Use Working Days:	Yes
Author:	swadmin
Modified:	28/05/2009 18:32

Access permissions

Role	Action
Everyone	Edit

I/O Parameters

- **Status:**Complete

Input Parameter	Id	Type	Mapped To	Req'd	Allowed Values
SW_C-ASEDESC	\$IP1	Text	SW_C-ASEDESC	*	'

Output Parameter	Id	Type	Mapped To
T_DATE	\$OP1	Text	T_DATE
T_ERRORMSG	\$OP2	Memo	T_ERRORMSG

Fields

Name	Type	Length	Decimals
SW_CASEDESC	Text	24	-
SW_CP_INCPERIOD	Numeric	4	0
SW_CP_INCREMENT CP_INCREMENT	Numeric	4	0

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Name	Type	Length	Decimals
SW_CP_NUMINC	Numeric	3	0
SW_CP_PERIODTYP	Text	1	-
SW_CP_VALUE	Numeric	3	0
SW_GEN_IDX	Numeric	6	0
SW_MAINCASE	Numeric	10	0
SW_MAINHOST	Text	24	-
SW_MAINPROC	Text	8	-
SW_PARENTCASE	Numeric	10	0
SW_PARENTHOST	Text	24	-
SW_PARENTPROC	Text	8	-
SW_PARENTREF	Text	64	-
SW_QPARAM1	Text	24	-
SW_QPARAM2	Text	24	-
SW_QPARAM3	Text	12	-
SW_QPARAM4	Text	12	-
T_DATE	Text	20	-
T_ERRORCODE	Text	20	-
T_ERRORMSG	Memo	-	-

Flow-Related steps (2)

This sub-procedure consists of following steps:

RT00

Actions

- On Completion:

Process Step: *GETDATE (Panther.GetDate)*.

GETDATE (Panther.GetDate)

General Properties

- EAI Plug-In Type: EAI_BW
- Run-Time EAI Type: EAIJAVA
- Delayed Release: Never Delayed Release

EAI Type-Specific Data

Call-Out Data:

Other Properties

- Delete On Withdraw: Yes
- Ignore Case Suspend: No

Actions

- On Completion:

End Of Workflow Branch.

4.2. ESB

Chapter contains description of changed items from project ESB

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

4.2.1. AccountState

Chapter contains description of changed AccountState from project ESB.

4.2.1.1. Archives

Chapter contains description of changed items from project Archives

4.2.1.1.1. AccountState

Section contains documentation of ESB Archive AccountState (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.1.1.1.1. Changes:

AccountState

Section contains description of Enterprise Archive "AccountState.archive"

Enterprise archive:

- **Archive name:** AccountState
- **Author:**
 PIKE ELECTRONIC
 Changed Company Name
- **Version:**
 10
 11
- **Service settable global vars:** true
- **File location:** X:\MakeDoc\demo\trialBE\trialProjects\AccountState\EAR\AccountState.ear
- **Description:**

Shared archives:

- **Name:** Shared Archive
 - **Resource type:** shared.archive.resource
 - **Author:** PIKE ELECTRONIC
 - **Description:**

Process archives:

Process archive name: Process Archive

- **Resource type:** process.archive.resource
- **Author:** PIKE ELECTRONIC
- **Description:**
- **Processes:**
 - /ProcessDefinitions/AccountState.process
 - /ProcessDefinitions/GetObligator/GetObligatorService.process
 - /ProcessDefinitions/GetAccountState/GetAccountStateService.process
 - /ProcessDefinitions/CalculateBonita/CalculateBonitaService.process

4.2.1.2. Processes

Chapter contains description of changed items from project Processes

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

4.2.1.2.1. AccountState

Section contains documentation of ESB Process AccountState (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.1.2.1.1. Changes:

AccountState

Section contains description of

Process description:

Main communication process. Receive input parameters. Call CalculateBonita process and at the end send result.

Process definition:

Full process path: ProcessDefinitions/AccountState.process

Diagram:

Process starter activity:

Name: Autentification HTTPReceiver

- Property Name: **Autentification HTTPReceiver**
 - Type: *com.tibco.plugin.http.HTTPEventSource*
 - Resource Type: *httppalette.httpEventSource*
 - Description: *Receive input client autentification information from HTTP*
 - Configuration:
 - outputMode= String
 - defaultEncoding= ISO8859_1
 - inputOutputVersion= 5.3.0
 - newMimeSupport= true
 - sharedChannel= */SharedConnections/IOHTTPConnection.sharedhttp*
 - customField
 - row
 - attribute= Name
 - attributeType= string
 - attributeCard= required
 - row
 - attribute= Password
 - attributeType= string
 - attributeCard= required
 - Headers
 - + root(Complex Type, required)
 - - Accept(xsd:string,optional)
 - - Accept-Charset(xsd:string,optional)
 - - Accept-Encoding(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Content-Length(xsd:string,optional)
 - - Connection(xsd:string,optional)
 - - Cookie(xsd:string,optional)

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- - Pragma(xsd:string,optional)

Process end activity:

Name: End

Activities:

Name: **AccountState SendHTTPResponse**

- Type: *com.tibco.plugin.http.HTTPResponseActivity*
- Resource Type: *httppalette.httpWebResponse*
- Description: *Send result as HTTP*
- Configuration:
 - closeConnection= true
 - eventSource= Autentification HTTPReceiver
 - Headers
 - + root(Complex Type, required)
 - - StatusLine(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Set-Cookie(xsd:string,optional)
 - - Pragma(xsd:string,optional)
 - - Location(xsd:string,optional)
- Input bindings:

Target	Source
/ResponseActivityInput/asciiContent	concat("<H1>Account state</H1>Account no: ", \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Number, " Name: ", \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Name, " Value: ", \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Value, " Account status: ", (if(\$Bonita-JMSQueueRequestor/ns2:ActivityOutput/Body/pfx2:PretenderBonita/Bonita <= 0) then "Basic" else if(\$Bonita-JMSQueueRequestor/ns2:ActivityOutput/Body/pfx2:PretenderBonita/Bonita = 1) then "Normal" else if(\$Bonita-JMSQueueRequestor/ns2:ActivityOutput/Body/pfx2:PretenderBonita/Bonita = 2) then "Bronze" else if(\$Bonita-JMSQueueRequestor/ns2:ActivityOutput/Body/pfx2:PretenderBonita/Bonita = 3) then "Silver" else "Gold"))

Name: **AccountState SOAPRequestReply**

- Type: *com.tibco.plugin.soap.SOAPSendReceiveActivity*
- Resource Type: *ae.activities.SOAPSendReceiveUI*
- Description: *SOAPRequest on GetAccountState process and get reply with result*
- Configuration:
 - timeout= 0
 - service= pfx:GetAccountStateService
 - servicePort= UserName_sp_SOAPEventSource

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- operation= GetAccountStateOperation
- soapAction= /ProcessDefinitions/GetAccountState/GetAccountStateService
- endpointURL= %%AccountStateServiceEndpointURL%%
- *Input bindings:*

Target	Source
/inputMessage/Name	\$Authentication-HTTPReceiver/ProcessStarter-Output/parameters/Name

Name: **Bonita JMSQueueRequestor**

- Type: *com.tibco.plugin.jms.JMSQueueRequestReplyActivity*
- Resource Type: *ae.activities.JMSQueueRequestReplyActivity*
- Description: *JMS request on CalculateBonita process and get reply with result*
- *Configuration:*
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1
 - maxSessions= 1
 - destination= %%ENV%%.%%CalculateBonitaJMSQueueName%%
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
 - ConnectionReference= */SharedConnections/CalculateBonitaEMSConnection.sharedjmscon*
 - ApplicationProperties= */SharedResources/JMSApplicationProperties.sharedjmsapp*
 - InDataxsdString
 - - InputParameters(XML Element Reference, required)
 - OutDataxsdString
 - - PretenderBonita(XML Element Reference, required)
- *Input bindings:*

Target	Source
/ActivityInput/replyToQueue	concat(\$_globalVariables/ns1:GlobalVariables/ENV,\$_globalVariables/ns1:GlobalVariables/AccountStateJMSQueueName)
/ActivityInput/OtherProperties/Part	"CalculateBonita"
/ActivityInput/Body/InputParameters/Name	\$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Name
/ActivityInput/Body/InputParameters/Value	\$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Value
/ActivityInput/Body/InputParameters/MonthIncrement	\$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:MonthIncrement
/ActivityInput/Body/InputParameters/RealtyValue	0
/ActivityInput/Body/InputParameters/Refund	0

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Name: *FailedAutentification SendHTTPResponse*

- Type: *com.tibco.plugin.http.HTTPResponseActivity*
- Resource Type: *httppalette.httpWebResponse*
- Description: *Send message about failed autentification as HTTP*
- Configuration:
 - closeConnection= true
 - eventSource= Autentification HTTPReceiver
 - Headers
 - + root(Complex Type, required)
 - - StatusLine(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Set-Cookie(xsd:string,optional)
 - - Pragma(xsd:string,optional)
 - - Location(xsd:string,optional)
- Input bindings:

Target	Source
/ResponseActivityInput/asciiContent	"<H1>Autentification data failed</H1>"

Transitions:

- From: **AccountState SendHTTPResponse** -To: **End**
 - Label:
 - Condition: *Success*
 - Description:
- From: **AccountState SOAPRequestReply** -To: **Bonita JMSQueueRequestor**
 - Label:
 - Condition: *(\$Autentification-HTTPReceiver/ProcessStarterOutput/parameters/Name = \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Name) and (\$Autentification-HTTPReceiver/ProcessStarterOutput/parameters/Password = \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Password)*
 - Description:
- From: **Autentification HTTPReceiver** -To: **AccountState SOAPRequestReply**
 - Label:
 - Condition: *Success*
 - Description:
- From: **Bonita JMSQueueRequestor** -To: **AccountState SendHTTPResponse**
 - Label:
 - Condition: *Success*
 - Description:
- From: **AccountState SOAPRequestReply** -To: **FailedAutentification SendHTTPResponse**
 - Label:
 - Condition: *(\$Autentification-HTTPReceiver/ProcessStarterOutput/parameters/Name != \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Name) or (\$Autentification-HTTPReceiver/ProcessStarterOutput/parameters/Password != \$AccountState-SOAPRequestReply/outputMessage/ns:Account/ns:Password)*
 - Description:
- From: **FailedAutentification SendHTTPResponse** -To: **End**
 - Label:
 - Condition: *Success*
 - Description:

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

4.2.2. GrantingCredit

Chapter contains description of changed GrantingCredit from project ESB.

4.2.2.1. Processes

Chapter contains description of changed items from project Processes

4.2.2.1.1. GrantingCredit

Section contains documentation of ESB Process GrantingCredit (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.2.1.1.1. Changes:

GrantingCredit

Section contains description of

Process description:

No description

Process definition:

Full process path: ProcessDefinitions/GrantingCredit.process

Diagram:

Process starter activity:

Name: InputFileName HTTPReceiver

- Property Name: **InputFileName HTTPReceiver**
 - Type: *com.tibco.plugin.http.HTTPEventSource*
 - Resource Type: *httppalette.httpEventSource*
 - Description:
 - Configuration:
 - outputMode= String
 - defaultEncoding= UTF8
 - inputOutputVersion= 5.3.0
 - newMimeTypeSupport= true
 - sharedChannel= */SharedConnections/InputHTTPConnection.sharedhttp*
 - customField
 - row
 - attribute= InputParameters
 - attributeType= string
 - attributeCard= optional
 - Headers
 - + root(Complex Type, required)
 - - Accept(xsd:string,optional)
 - - Accept-Charset(xsd:string,optional)
 - - Accept-Encoding(xsd:string,optional)

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- - Content-Type(xsd:string,optional)
- - Content-Length(xsd:string,optional)
- - Connection(xsd:string,optional)
- - Cookie(xsd:string,optional)
- - Pragma(xsd:string,optional)

Process end activity:

Name: End

Activities:

Name: **Appraisal JMSQueueSender**

- Type: *com.tibco.plugin.jms.JMSQueueSendActivity*
- Resource Type: *ae.activities.JMSQueueSendActivity*
- Description:
- Configuration:
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1
 - maxSessions= 1
 - destination= %%ENV%%.%%AppraisalJMSQueueRequestName%%
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSEExpiration= 0
 - JMSPriority= 4
 - ConnectionReference= */SharedConnections/EMSCConnection.sharedjmscon*
 - ApplicationProperties=
 - InDataxsdString
 - - AppraisalRequest(XML Element Reference, required)
- Input bindings:

Target	Source
/ActivityInput/Body/AppraisalRequest/Name	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Name
/ActivityInput/Body/AppraisalRequest/RealtyDetail	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:RealtyDetail
/ActivityInput/Body/AppraisalRequest/Pawn	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Pawn

Name: **InputParameters JMSQueueSender**

- Type: *com.tibco.plugin.jms.JMSQueueSendActivity*
- Resource Type: *ae.activities.JMSQueueSendActivity*
- Description:
- Configuration:
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- maxSessions= 1
- destination= %%ENV%%.%%JMSQueueName%%
- ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
 - JMSReplyTo=
- ApplicationProperties= /SharedResources/JMSApplicationProperties.sharedjmsapp
- InDataxsdString
 - - InputParameters(XML Element Reference, required)
- ConnectionReference=
 - /SharedConnections/EMSCConnection.sharedjmscon
- Input bindings:

Target	Source
/ActivityInput/OtherProperties/Part	"InputParameters"
/ActivityInput/Body/InputParameters/Name	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Name
/ActivityInput/Body/InputParameters/Value	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Value
/ActivityInput/Body/InputParameters/Salary	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Salary
/ActivityInput/Body/InputParameters/Refund	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Refund
/ActivityInput/Body/InputParameters/Pawn	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Pawn
/ActivityInput/Body/InputParameters/RealtyDetail	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:RealtyDetail
/ActivityInput/Body/InputParameters/RealtyValue	\$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:RealtyValue

Name: **InputParameters SendHTTPResponse**

- Type: *com.tibco.plugin.http.HTTPResponseActivity*
- Resource Type: *httppalette.httpWebResponse*
- Description:
- Configuration:
 - closeConnection= true
 - eventSource= InputFileName HTTPReceiver
 - Headers
 - + root(Complex Type, required)
 - - StatusLine(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Set-Cookie(xsd:string,optional)
 - - Pragma(xsd:string,optional)
 - - Location(xsd:string,optional)
- Input bindings:

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Target	Source
/ResponseActivityInput/asciiContent	concat("<H1>InputParameters:</H1>Name: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Name, " Value: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Value, " Refund: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Refund, " Salary: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Salary, " Pawn: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:Pawn, " RealtyDetail: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:RealtyDetail, " RealtyValue: ", \$InputParameters-SOAPRequestReply/outputMessage/ns:InputParameters/ns:RealtyValue)

Name: *InputParameters SOAPRequestReply*

- Type: *com.tibco.plugin.soap.SOAPSendReceiveActivity*
- Resource Type: *ae.activities.SOAPSendReceiveUI*
- Description:
- Configuration:
 - timeout= 0
 - service= pfx:LoadParametersService
 - servicePort= InputFileName_sp_from_sp_SOAPEventSource
 - operation= LoadParametersServiceOperation
 - soapAction= /ProcessDefinitions/LoadParameters/LoadParametersService
 - endpointURL= %%LoadParametersServiceEndpointURL%%
 - useProxy= false
 - requireBasicAuth= false
 - basicHttpAuthIdentity=
- Input bindings:

Target	Source
/inputMessage/InputFile/FileName	\$InputFileName-HTTPReceiver/ProcessStarter-Output/parameters/InputParameters

Transitions:

- From: **Appraisal JMSQueueSender** -To: **InputParameters JMSQueueSender**
 - Label:
 - Condition: *Success*
 - Description:
- From: **InputFileName HTTPReceiver** -To: **InputParameters SOAPRequestReply**
 - Label:
 - Condition: *Success*

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- Description:
- From: ***InputParameters JMSQueueSender*** -To: ***End***
 - Label:
 - Condition: *Success*
 - Description:
- From: ***InputParameters SendHTTPResponse*** -To: ***Appraisal JMSQueueSender***
 - Label:
 - Condition: *Success*
 - Description:
- From: ***InputParameters SOAPRequestReply*** -To: ***InputParameters SendHTTPResponse***
 - Label:
 - Condition: *Success*
 - Description:

4.2.2.1.2. ExaminationService

Section contains documentation of ESB Process ExaminationService (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.2.1.2.1. Changes:

ExaminationService

Section contains description of

Process description:

No description

Process definition:

Full process path: ProcessDefinitions/Examination/ExaminationService.process

Diagram:

Process starter activity:

Name: InputParameters JMSQueueReceiver

- Property Name: ***InputParameters JMSQueueReceiver***
 - Type: *com.tibco.plugin.jms.JMSQueueEventSource*
 - Resource Type: *ae.activities.JMSQueueEventSource*
 - Description:
 - *Configuration:*
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1 (Auto)
 - maxSessions= 1
 - destination= %%ENV%%.%%JMSQueueName%%
 - selector= Part='InputParameters'
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- JMSPriority= 4
- ConnectionReference= /SharedConnections/EMSCConnection.sharedjmscon
- OutDataxsdString
 - - InputParameters(XML Element Reference, required)

Process end activity:

Name: End

Activities:

Name: **Appraisal WaitForJMSQueueMessage**

- Type: *com.tibco.plugin.jms.JMSQueueSignalInActivity*
- Resource Type: *ae.activities.JMSQueueSignalInActivity*
- Description:
- Configuration:
 - _eventTimeout= 60000
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1 (Auto)
 - maxSessions= -1
 - destination= %%ENV%%.%%AppraisalJMSQueueResultName%%
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
 - ApplicationProperties=
 - OutDataxsdString
 - - AppraisalResult(XML Element Reference, required)
 - ConnectionReference= /SharedConnections/EMSCConnection.sharedjmscon

Name: **Bonita JMSQueueRequestor**

- Type: *com.tibco.plugin.jms.JMSQueueRequestReplyActivity*
- Resource Type: *ae.activities.JMSQueueRequestReplyActivity*
- Description:
- Configuration:
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1
 - maxSessions= 1
 - destination= %%ENV%%.%%CalculateBonitaJMSQueueName%%
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
 - ConnectionReference= /SharedConnections/CalculateBonitaEMSCConnection.sharedjmscon
 - ApplicationProperties= /SharedResources/JMSApplicationProperties.sharedjmsapp
 - InDataxsdString
 - - InputParameters(XML Element Reference, required)

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- OutDataxsdString
 - - PretenderBonita(XML Element Reference, required)
- *Input bindings:*

Target	Source
/ActivityInput/replyToQueue	concat(\$_globalVariables/ns1:GlobalVariables/ENV, \$_globalVariables/ns1:GlobalVariables/ExaminationJMSQueueName)
/ActivityInput/OtherProperties/Part	"CalculateBonita"
/ActivityInput/Body/InputParameters/Name	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Name/@xsi:nil
/ActivityInput/Body/InputParameters/Name	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Name
/ActivityInput/Body/InputParameters/Value	\$Negate-Value/Value
/ActivityInput/Body/InputParameters/MonthIncrement	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Salary/@xsi:nil
/ActivityInput/Body/InputParameters/MonthIncrement	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Salary
/ActivityInput/Body/InputParameters/RealtyValue	if(\$Appraisal-WaitForJMSQueueMessage/ns:ActivityOutput/Body/pfx4:AppraisalResult/customerName = \$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Name) then \$Appraisal-WaitForJMSQueueMessage/ns:ActivityOutput/Body/pfx4:AppraisalResult/realtyValue else \$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/RealtyValue
/ActivityInput/Body/InputParameters/Refund	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Refund/@xsi:nil
/ActivityInput/Body/InputParameters/Refund	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Refund

Name: **Examination**

- Type: *com.tibco.pe.core.CallProcessActivity*
- Resource Type: *ae.process.subprocess*
- Description:
- *Configuration:*
 - processName= */ProcessDefinitions/Examination/Examination.process*
- *Input bindings:*

Target	Source
/InputParameters/Refund	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Refund

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Target	Source
/InputParameters/Salary	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Salary
/InputParameters/Value	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Value
/InputParameters/Bonita	\$Bonita-JMSQueueRequestor/ns:ActivityOutput/Body/pfx2:PretenderBonita/Bonita
/InputParameters/Pawn	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Pawn

Name: **Negate Value**

- Type: *com.tibco.plugin.mapper.MapperActivity*
- Resource Type: *ae.activities.MapperActivity*
- Description:
- Configuration:
 - - Value(xsd:long,required)
- Input bindings:

Target	Source
/Value	- \$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Value

Name: **Result JMSQueueSender**

- Type: *com.tibco.plugin.jms.JMSQueueSendActivity*
- Resource Type: *ae.activities.JMSQueueSendActivity*
- Description:
- Configuration:
 - PermittedMessageType= XML Text
 - SessionAttributes
 - transacted= false
 - acknowledgeMode= 1
 - maxSessions= 1
 - destination= %%ENV%%.%%JMSQueueName%%
 - ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
 - ApplicationProperties= /SharedResources/JMSApplicationProperties.sharedjmsapp
 - InDataxsdString
 - - GrantingCreditResult(XML Element Reference, required)
 - ConnectionReference= */SharedConnections/EMSCConnection.sharedjmscon*
- Input bindings:

Target	Source
/ActivityInput/OtherProperties/Part	"Result"

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Target	Source
/ActivityInput/Body/GrantingCreditResult/Name	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Name/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/Name	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Name
/ActivityInput/Body/GrantingCreditResult/Value	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Value/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/Value	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Value
/ActivityInput/Body/GrantingCreditResult/Refund	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Refund/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/Refund	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Refund
/ActivityInput/Body/GrantingCreditResult/Pawn	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Pawn/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/Pawn	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Pawn
/ActivityInput/Body/GrantingCreditResult/Interest	\$Examination/ExaminationResult/Interest
/ActivityInput/Body/GrantingCreditResult/State	\$Examination/ExaminationResult/State
/ActivityInput/Body/GrantingCreditResult/RealtyValue	\$Appraisal-WaitForJMSQueueMessage/ns:ActivityOutput/Body/pfx4:AppraisalResult/realtyValue/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/RealtyValue	\$Appraisal-WaitForJMSQueueMessage/ns:ActivityOutput/Body/pfx4:AppraisalResult/realtyValue
/ActivityInput/Body/GrantingCreditResult/RealtyDetail	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/RealtyDetail/@xsi:nil
/ActivityInput/Body/GrantingCreditResult/RealtyDetail	\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/RealtyDetail

Transitions:

- From: **Appraisal WaitForJMSQueueMessage** -To: **Negate Value**
 - Label:
 - Condition: *Success*
 - Description:
- From: **Bonita JMSQueueRequestor** -To: **Examination**
 - Label:
 - Condition: *Success*
 - Description:

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- From: **Examination** -To: **Result JMSQueueSender**
 - Label:
 - Condition: *Success*
 - Description:
- From: **InputParameters JMSQueueReceiver** -To: **Appraisal WaitForJMSQueueMessage**
 - Label:
 - Condition: $\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Pawn = "true"$
 - Description:
- From: **InputParameters JMSQueueReceiver** -To: **Negate Value**
 - Label:
 - Condition: $\$InputParameters-JMSQueueReceiver/ns:ActivityOutput/Body/pfx:InputParameters/Pawn = "false"$
 - Description:
- From: **Negate Value** -To: **Bonita JMSQueueRequestor**
 - Label:
 - Condition: *Success*
 - Description:
- From: **Result JMSQueueSender** -To: **End**
 - Label:
 - Condition: *Success*
 - Description:

4.2.2.1.3. HTMLOutput

Section contains documentation of ESB Process HTMLOutput (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.2.1.3.1. Changes:

HTMLOutput

Section contains description of

Process description:

No description

Process definition:

Full process path: ProcessDefinitions/Output/HTMLOutput.process

Diagram:

Process starter activity:

Name: Result JMSQueueReceiver

- Property Name: **Result JMSQueueReceiver**
 - Type: *com.tibco.plugin.jms.JMSQueueEventSource*
 - Resource Type: *ae.activities.JMSQueueEventSource*
 - Description:
 - *Configuration:*
 - PermittedMessageType= XML Text
 - SessionAttributes

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

- transacted= false
- acknowledgeMode= 1 (Auto)
- maxSessions= 1
- destination= %%ENV%%.%%JMSQueueName%%
- selector= Part='Result'
- ConfigurableHeaders
 - JMSDeliveryMode= PERSISTENT
 - JMSExpiration= 0
 - JMSPriority= 4
- ConnectionReference= /SharedConnections/EMSCConnection.sharedjmscon
- ApplicationProperties= /SharedResources/JMSApplicationProperties.sharedjmsapp
- OutDataxsdString
 - - GrantingCreditResult(XML Element Reference, required)

Process end activity:

Name: End

Activities:

Name: **Result SendHTTPResponse**

- Type: *com.tibco.plugin.http.HTTPResponseActivity*
- Resource Type: *httppalette.httpWebResponse*
- Description:
- Configuration:
 - closeConnection= true
 - eventSource= Wait for HTTP Request
 - Headers
 - + root(Complex Type, required)
 - - StatusLine(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Set-Cookie(xsd:string,optional)
 - - Pragma(xsd:string,optional)
 - - Location(xsd:string,optional)
- Input bindings:

Target	Source
/ResponseActivity/Input/asciiContent	concat("<H1>Granting Credit Result</H1>Name: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/Name, " Value: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:-GrantingCreditResult/Value, " Refund: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/Refund, " Pawn: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/Pawn, " Realty detail: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/RealtyDetail, " Realty value: ", \$Result-JMSQ-

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Target	Source
	ueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/RealtyValue, " Interest: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/Interest, " <H2>Result: ", \$Result-JMSQueueReceiver/ns1:ActivityOutput/Body/pfx:GrantingCreditResult/State, "</H2>")

Name: **Wait for HTTP Request**

- Type: *com.tibco.plugin.http.HTTPSignalInActivity*
- Resource Type: *httppalette.httpSignalIn*
- Description:
- Configuration:
 - *_eventTimeout= 60000*
 - *outputMode= String*
 - *defaultEncoding= ISO8859_1*
 - *inputOutputVersion= 5.3.0*
 - *newMimeTypeSupport= true*
 - *sharedChannel= /SharedConnections/OutputHTTPConnection.sharedhttp*
 - Headers
 - + root(Complex Type, required)
 - - Accept(xsd:string,optional)
 - - Accept-Charset(xsd:string,optional)
 - - Accept-Encoding(xsd:string,optional)
 - - Content-Type(xsd:string,optional)
 - - Content-Length(xsd:string,optional)
 - - Connection(xsd:string,optional)
 - - Cookie(xsd:string,optional)
 - - Pragma(xsd:string,optional)

Transitions:

- From: **Result JMSQueueReceiver** -To: **Wait for HTTP Request**
 - Label:
 - Condition: *Success*
 - Description:
- From: **Result SendHTTPResponse** -To: **End**
 - Label:
 - Condition: *Success*
 - Description:
- From: **Wait for HTTP Request** -To: **Result SendHTTPResponse**
 - Label:
 - Condition: *Success*
 - Description:

4.2.2.2. Shared HTTP Connections

Chapter contains description of changed items from project Shared HTTP Connections

4.2.2.2.1. InputHTTPConnection

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

Section contains documentation of ESB Shared HTTP Connection InputHTTPConnection (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.2.2.1.1. Changes:

InputHTTPConnection

Section contains description of Shared HTTP Resource "InputHTTPConnection.sharedhttp"

HTTP description:

No description

HTTP configuration:

Name	Value
Host	localhost remoteHost
Port	%%InputHTTPPort%%

Connection properties:

Name	Value	Default value
maxPostSize (bytes)	'	2097152
maxSavePostSize (bytes)	'	4096
uriEncoding	'	'
acceptCount	'	'
compressableMimeType	'	text/html,text/xml,text/plain
compression	'	off
connectionTimeOut (ms)	'	60000

4.2.2.2.2. SOAPHTTPConnection

Section contains documentation of ESB Shared HTTP Connection SOAPHTTPConnection (2010-04-12_14-39, 2010-04-12_15-06).

Added element

Deleted element

4.2.2.2.2.1. Changes:

SOAPHTTPConnection

Section contains description of Shared HTTP Resource "SOAPHTTPConnection.sharedhttp"

Analysis of snapshots created 2010/04/12 14:39 and 2010/04/12 15:06

HTTP description:

No description

HTTP configuration:

Name	Value
Host	localhost remoteHost
Port	%%HTTPOAPPport%%

Connection properties:

Name	Value	Default value
maxPostSize (bytes)	'	2097152
maxSavePostSize (bytes)	'	4096
uriEncoding	'	'
acceptCount	'	'
compressableMimeType	'	text/html,text/xml,text/plain
compression	'	off
connectionTimeOut (ms)	'	60000